

## ARTIKELN

- Acute equine laminitis: Exciting prospects afoot / S. Bailey, *Vet. J.* 206.2 (2015): 121-122
- Adiponectin and leptin are related to fat mass in horses / C. Kearns (et al.), *Vet. J.* 172.3 (2006): 460-465
- Adipokine, chemokine, and cytokine expression profiles in adipose tissue depots of lean and overweight ponies / P. Weber (et al.) *J. Equine Vet. Sci.* 33.10 (2013): 846
- The anatomy and physiology of the suspensory apparatus of the distal phalanx / C. Pollitt, *Vet. Clin. North Am. Equine Pract.* 26.1 (2010): 29-49
- Assessment of horse owners' ability to recognise equine laminitis: A cross-sectional study of 93 veterinary diagnosed cases in Great Britain / D. Pollard (et al.), *Equine Vet. J.* DOI: 10.1111/evj.12704
- Association of maximum voluntary dietary intake of freeze-dried garlic with Heinz body anemia in horses / W. Pearson (et al.), *Am. J. Vet. Res.* 66.3 (2005): 457-460
- Batimastat (BB-94) inhibits matrix metalloproteinases of equine laminitis / C. Pollitt (et al.), *Equine Vet. J.* 26 (1998): 119-124
- Carbohydrate alimentary overload laminitis / C. Pollitt, *Vet. Clin. North Am. Equine Pract.* 26.1 (2010): 65-71
- Changes in proportions of dry matter intakes by ponies with access to pasture and haylage for 3 and 20 hours per day respectively, for six weeks / J. Ince (et al.), *J. Equine Vet. Sci.* 31.5 (2011): 283
- Chronic laminitis : managing the foundered horse / D. Walsh, *homesteadvet.net*
- Chronic progressive lymphedema in draft horses / V. Affolter, *Vet. Clin. North Am. Equine Pract.* 29.3 (2013): 589-605
- Clinical anatomy and physiology of the normal equine foot / C. Pollitt, *Equine Vet. Educ.* 4.5 (1992): 219-224
- Clinical and genetic investigation of Connemara hoof wall separation syndrome / C. Finnp (et al.), *J. Equine Vet. Sci.* 33.10 (2013): 857
- Clinical outcome of 14 obesity-associated laminitis cases managed with the same rehabilitation protocol / D. Taylor (et al.), *J. Equine Vet. Sci.* 33.10 (2013): 870
- Clinical presentation, diagnosis, and prognosis of chronic laminitis in Europe / R. Eustace, *Vet. Clin. North Am. Equine Pract.* 26.2 (2010): 391-405
- Clinical research abstracts of the British equine veterinary association congress 2015 / E. Hammersley (et al.), *Equine Vet. J.* 48.24 (2015)
- Clinical updates I : Laminitis / J. Orsini, *J. Equine Vet. Sci.* 30.9 (2010): 455-459
- Clinical use of triamcinolone acetonide in the horse (205 cases) and the incidence of glucocorticoid-induced laminitis associated with its use / M. McCluskey (et al.), *Equine Vet. Educ.* 16.2 (2004): 86-89
- Comparison of hair follicle histology between horses with pituitary pars intermedia dysfunction and excessive hair growth and normal aged horses / M. Innera (et al.), *Vet. Dermatol.* 24.1 (2013): 212-217

- Comparison of insulin sensitivity of horses adapted to different exercise intensities / S. Turner (et al.), *J. Equine Vet. Sci.* 31.11 (2011): 645-649
- Continuous digital hypothermia initiated after the onset of lameness prevents lamellar failure in the oligofructose laminitis model / A. van Eps (et al.), *Equine Vet. J.* 46.5 (2014): 625-630
- Comparison of Vitex agnus castus extract and pergolide in treatment of equine Cushing's syndrome / J. Beech (et al.), *Proc AAEP* (2002): 177
- A comparison of weight estimation methods in adult horses / E. Wagner (et al.), *J. Equine Vet. Sci.* 31.12 (2011): 706-710
- Comparison of weight loss, with or without dietary restriction and exercise, in standardbreds, Andalusians and mixed breed ponies / S. Potter (et al.), *J. Equine Vet. Sci.* 33.5 (2013): 339
- Contrasting structural morphologies of 'good' and 'bad' footed horses / R. Bowker, *Proc. Am. Assoc. Equine Pract.* 49 (2003): 186-209
- Corticosteroid-associated laminitis / S. Bailey, *Vet. Clin. North Am. Equine Pract.* 26.2 (2010): 277-285
- Cresty neck scoring : how to? / T. Cubitt, *poulingrain.com*
- Curcumin activates AMPK and suppresses gluconeogenic gene expression in hepatoma cells / T. Kim (et al.), *Biochem. Biophys. Res. Commun.* 388.2 (2009) 377-382
- Curcumin: from ancient medicine to current clinical trials / H. Hatcher (et al.), *Cell Mol. Life Sci.* 65.11 (2008): 1631-1652
- Current concepts on the pathophysiology of pasture-associated laminitis / R. Geor, *Vet. Clin. North Am. Equine Pract.* 26.2 (2010): 265-276
- Current understanding of the equine metabolic syndrome phenotype / R. Geor (et al.), *J. Equine Vet. Sci.* 33.10 (2013): 841-844
- Decreased expression of p63, a regulator of epidermal stem cells, in the chronic laminitic equine hoof / R. Carter (et al.), *Equine Vet. J.* 43.5 (2011): 543-551
- Diabetes, insulin resistance, and metabolic syndrome in horses / P. Johnson (et al.), *J. Diabetes Sci. Technol.* 6.3 (2012): 534-540
- Diagnosis and treatment of foot infections / B. Agne, *J. Equine Vet. Sci.* 30.9 (2010): 510-512
- Dietary fructan carbohydrate increases amine production in the equine large intestine : implications for pasture-associated laminitis / C. Crawford (et al.), *J. Anim. Sci.* 85.11 (2007): 2949-2958
- Dietary management of obesity and insulin resistance : countering risk for laminitis / R. Geor, *Vet. Clin. North Am. Equine Pract.* 25.1 (2009): 51-65
- Digital hypothermia inhibits early lamellar inflammatory signalling in the oligofructose laminitis model / A. van Eps (et al.), *Equine Vet. J.* 44.2 (2012): 230-237
- Documentation of the clinical outcome of four laminitis cases managed with the same hoof care and dietary management protocol / D. Taylor (et al.), *J. Equine Vet. Sci.* 30.2 (2010): 114-115
- The effect of airflow on thermographically determined temperature of the distal forelimb of the horse / S. Westermann (et al.), *Equine Vet. J.* 45.5 (2013): 637-641
- Effect of continuous digital hypothermia on lamellar inflammatory signaling when applied at a clinically-relevant timepoint in the oligofructose laminitis model / K. Dern (et al.), *J. Vet. Intern. Med.* 32.1 (2018): 450-458

- Effects of a supplement containing chromium and magnesium on morphometric measurements, resting glucose, insulin concentrations and insulin sensitivity in laminitic obese horses / K. Chamero (et al.), *Equine Vet. J.* 43.3 (2011): 494-499
- Effects of clopidogrel and aspirin on platelet aggregation, thromboxane production, and serotonin secretion in horses / B. Brainard (et al.), *J. Vet. Intern. Med.* 25.1 (2011): 116-122
- Effect of environmental conditions on degree of hoof wall hydration in horses / B. Hampson (et al.), *Am. J. Vet. Res.* 73.3 (2012): 435-438
- The effect of hoof angle variations on dorsal lamellar load in the equine hoof / G. Ramsey (et al.), *Equine Vet. J.* 43.5 (2011): 536-542
- The effect of oral metformin on insulin sensitivity in insulin-resistant ponies / K. Tinworth (et al.), *Vet. J.* 191.1 (2012): 79-84
- The effect of soaking on carbohydrate removal and dry matter loss in orchardgrass and alfalfa hays / K. Martinson (et al.), *J. Equine Vet. Sci.* 32.6 (2012): 332-338
- The effect of soaking on protein and mineral loss in orchardgrass and alfalfa hay / K. Martinson (et al.), *J. Equine Vet. Sci.* 32.12 (2012): 776-782
- Effects of a “two-hit” model of organ damage on the systemic inflammatory response and development of laminitis in horses / E. Tadros (et al.), *Vet. Immunol. Immunopathol.* 150.1-2 (2012): 90-100
- Effects of industrial polystyrene foam insulation pads on the center of pressure and load distribution in the forefeet of clinically normal horses / J. Schleining (et al.), *Am. J. Vet. Res.* 72.5 (2011): 628-633
- Effects of intracecal buffer solution treatment in apoptosis of epidermal lamellar cells in horses with experimental laminitis / A. Souza (et al.), *J. Equine Vet. Sci.* 30.2 (2010): 113
- Effects of  $\Omega$ -3 (In-3) fatty acid supplementation on insulin sensitivity in horses / T. Hess (et al.), *J. Equine Vet. Sci.* 33.6 (2013): 446-453
- Effects of oral administration of levothyroxine sodium on serum concentrations of thyroid gland hormones and responses to injections of thyrotropin-releasing hormone in healthy adult mares / C. Sommardahl (et al.), *Am. J. Vet. Res.* 66.6 (2005): 1025-1031
- Effect of orally administered sodium bicarbonate on caecal pH / E. Taylor (et al.), *Equine Vet. J.* 46.2 (2013): 223-226
- Effect of restricted grazing on hindgut pH and fluid balance / P. Siciliano, *J. Equine Vet. Sci.* 32.9 (2012): 558-561
- Effects of the insulin-sensitizing drug pioglitazone and lipopolysaccharide administration on insulin sensitivity in horses / J. Suagee (et al.), *J. Vet. Intern. Med.* 25 (2011): 356-364
- Efficacy of trilostane for the treatment of equine Cushing’s syndrome / C. McGowen (et al.), *Equine Vet. J.* 35.4 (2003): 414-418
- Endocrine disorders and laminitis / E. Tadros (et al.), *Equine Vet. Educ.* 25.3 (2013): 152-162
- Endocrinopathic laminitis / C. McGowan, *Vet. Clin. North Am. Equine Pract.* 26.2 (2011): 233-237
- Endocrinopathic laminitis in the horse / P. Johnson (et al.), *Clin. Tech. Equine Pract.* 3.1 (2004): 45-56

- Endocrinopathic laminitis, obesity-associated laminitis, and pasture-associated laminitis / N. Frank, *Proc. Am. Assoc. Equine Pract.* 54 (2008): 341-346
- Endocrinopathic laminitis: reducing the risk through diet and exercise / N. Menzies-Gow, *Vet. Clin. North Am. Equine Pract.* 26.2 (2010): 371-378
- Epidemiological study of pasture-associated laminitis and concurrent risk factors in the South of England / N. Menzies-Gow (et al.), *Vet. Rec.* 167.18 (2010): 690-694
- Equine hyperlipaemia: a review / K. Hughes (et al.), *Aus. Vet. J.* 82.3 (2004): 136-142
- Equine laminitis : a revised pathophysiology / C. Pollitt, *Proc. Am. Assoc. Equine Pract.* 45 (1999): 189-192
- Equine laminitis: what is all the hype about hyperinsulinaemic laminitis? / C. Wylie, *Vet. J.* 196.2 (2013): 139-140
- Equine metabolic syndrome / N. Frank, *Vet. Clin. North Am. Equine Pract.* 27.1 (2011): 73-92
- Equine metabolic syndrome : more unknowns than knowns / Kentucky Equine Research, *J. Equine Vet. Sci.* 26 (2006): 543-545
- Equine pituitary pars intermedia dysfunction / D. McFarlane, *Vet. Clin. North Am. Equine Pract.* 27.1 (2011): 93-113
- Estimation of the Body Weight of Icelandic Horses / G. Hoffmann (et al.), *J. Equine Vet. Sci.* 33.11 (2013): 893-895
- Evaluation of systemic immunological hyperreactivity after intradermal testing in horses with chronic laminitis / I. Wagner (et al.), *Am. J. Vet. Res.* 64 (2003): 279-283
- Expression of endothelin in equine laminitis / L. Katwa (et al.), *Equine Vet. J.* 31.3 (1999): 243-246
- De ezel, net even anders / Ellen Graaf-Roelfsema (et al.), *Diergeneeskundig Memorandum* 56.3 (2009): 1-76
- Factors involved in the prognosis of equine laminitis in the UK / P. Cripps (et al.), *Equine. Vet. J.* 31.5 (1999): 433-442
- Fecal pH and microbial populations in thoroughbred horses during transition from pasture to concentrate feeding / M. van den Berg (et al.), *J. Equine Vet. Sci.* 33.4 (2013): 215-222
- Feeding naturally / L. Ross-Williams, *naturalthorsetalk.com*
- Fructose-induced leptin resistance exacerbates weight gain in response to subsequent high-fat feeding / A. Shapiro (et al.), *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 295.5 (2008): 1370-1375
- Functional anatomy of the cartilage of the distal phalanx and digital cushion in the equine foot and a hemodynamic flow hypothesis of energy dissipation / R. Bowker (et al.), *Am. J. Vet. Res.* 59.8 (1998): 961-968
- Gastrointestinal derived factors are potential triggers for the development of acute equine laminitis / J. Elliott (et al.), *J Nutr.* 136.7 suppl. (2006): 2103S-2107S
- Glucose transport in the equine hoof / K. Asplin (et al.), *Equine Vet. J.* 43.2 (2011): 196-201
- The growth and adaptive capabilities of the hoof wall and sole : functional changes in response to stress / R. Bowker, *Proc. Am. Assoc. Equine Pract.* 49 (2003): 146-168
- Histological and morphometric lesions in the pre-clinical, developmental phase of insulin-induced laminitis in Standardbred horses / M. de Laat (et al.), *Vet. J.* 195.3 (2013): 305-312
- Histopathological examination of chronic laminitis in Kaimanawa feral horses of New Zealand / B. Hampson (et al.), *N. Z. Vet. J.* 60.5 (2012): 285-289

- Histopathology of equine hoof wall, skin and chestnut in acute spontaneous laminitis / O. Wattle (et al.), *J. Equine Vet. Sci.* 30.2 (2010): 116
- Home care for horses with chronic laminitis / J. Orsini (et al.), *Vet. Clin. North Am. Equine Pract.* 26.1 (2010): 215-223
- Home care nursing for the laminitic horse / J. Wrigley, *J. Vet. Sci.* 31.10 (2011): 605-609
- Hoof mass, motion and the mythos of P3 rotation / J. Jackson, *SRP Bulletin* 113 (2006)
- Hyperinsulinemic laminitis / M. de Laat (et al.), *Vet. Clin. North Am. Equine Pract.* 26.2 (2010): 257-264
- Hyperlipaemia in a donkey / J. Tarrant (et al.), *Aus. Vet. J.* 76.7 (1998): 466-469
- Influence of feeding status, time of the day, and season on baseline adrenocorticotropic hormone and the response to thyrotropin releasing hormone-stimulation test in healthy horses / E. Diez de Castro (et al.), *Domest. Anim. Endocrinol.* 48 (2014): 77-83
- The interaction of grazing muzzle use and grass species on forage intake of horses - a preliminary study / E. Glunk (et al.), *J. Equine Vet. Sci.* 33.5 (2013): 357
- Lamellar metabolism / O. Wattle, C. Pollitt, *Clin. Tech. Equine Pract.* 3.1 (2004): 22-33
- Laminar leukocyte accumulation in horses with carbohydrate overload-induced laminitis / R. Faleiros (et al.), *J. Vet. Intern. Med.* 25.1 (2011): 107-115
- Laminitis and the equine metabolic syndrome / P. Johnson (et al.), *Vet. Clin. North Am. Equine Pract.* 26.2 (2010): 239-255
- Laminitis attack : the first line of defense / D. Walsh (et al.), [safergrass.org](http://safergrass.org)
- Laminitis in feral horses: where, when, and why? / B. Hampson, *J. Equine Vet. Sci.* 31.10 (2011): 594-595
- Laminitis in przewalski horses kept in a semireserve / K. Budras, *J. Vet. Sci.* 2.1 (2001): 1-7
- Laminitis : recognition of at-risk individuals, and methods of prevention / B. Ange, *J. Equine Vet. Sci.* 30.9 (2010): 471-474
- Laminitis theory : shots around the target / C. Pollitt, [laminitisresearch.org](http://laminitisresearch.org)
- Laminitis treatment : a natural medicine perspective / J. Harman, *Hoofcare & Lameness: J. Equine Foot* 73 (s.a.)
- Leidingwater, water uit de put of een stromend beekje : wat is de beste keuze voor jouw paard / H. Boon, *CAP* 5 (2010): 56-60
- Magnesium disorders in horses / A. Stewart, *Vet. Clin. North Am. Equine Pract.* 27.1 (2011): 149-163
- Managing hoof abscesses : options for treating this frequent and frustrating cause of lameness / S. O'Grady, [equipodiatry.com](http://equipodiatry.com)
- Managing obesity in pasture-based horses / I. Becvarova (et al.), *Compend. Contin. Educ. Vet.* 34.4 (2012): 1-4
- Maggot debridement therapy for laminitis / S. Morrison, *Vet. Clin. North Am. Equine Pract.* 26.2 (2010): 447-450
- Medical acupuncture for equine laminitis / L. Lancaster, *J. Equine Vet. Sci.* 31.10 (2011): 604
- Metabolic predispositions to laminitis in horses and ponies: obesity, insulin resistance and metabolic syndromes / R. Geor, *J. Equine Vet. Sci.* 28.12 (2008): 753-759

- Microbial events in the hindgut during carbohydrate-induced equine laminitis / G. Milinovich (et al.), *Vet. Clin. North Am. Equine Pract.* 26.1 (2010): 79-94
- Morphometry and abnormalities of the feet of Kaimanawa feral horses in New Zealand / B. Hampson (et al.), *Aust. Vet. J.* 88.4 (2010): 124-131
- A multicenter, matched case-control study of risk factors for equine laminitis / P. Alford (et al.), *Prev. Vet. Med.* 49.3-4 (2001): 209-222
- Nutrition and exercise in the management of horses and ponies at high risk for laminitis / R. Geor, *J. Equine Vet. Sci.* 30.9 (2010): 463-470
- Overview of current laminitis research / S. Eades, *Vet. Clin. North Am. Equine Pract.* 26.1 (2010): 51-63
- Pasture-associated laminitis / R. Geor, *Vet. Clin. North Am. Equine Pract.* 25.1 (2009): 39-50
- Pasture management to minimize the risk of equine laminitis / K. Watts, *Vet. Clin. North Am. Equine Pract.* 26.2 (2010): 361-369
- Pasture nonstructural carbohydrates and equine laminitis / A. Longland (et al.), *J. Nutr.* 136.7 (2006): 2099-2100
- Pathophysiology and clinical features of pituitary pars intermedia dysfunction / D. McFarlane, *Equine Vet. Educ.* DOI: 10.1111/eve.12237
- Pathology of the distal phalanx in equine laminitis : more than just skin deep / J. Engiles, *Vet. Clin. North Am. Equine Pract.* 26.1 (2010): 155-165
- The perils of excess potassium / B. Lee, *albrechtsanimals.typepad.com*
- A potential link between insulin resistance and iron overload disorder in browsing rhinoceroses investigated through the use of an equine model / B. Nielsne (et al.), *J. Zoo Wildl. Med.* 43.3 (2012): 61-65
- Pregnancy-associated laminitis in mares / P. Johnson (et al.), *J. Equine Vet. Sci.* 29.1 (2009): 42-46
- A preliminary study into the use of manual lymphatic drainage to support recovery from laminitis / H. Powell, *J. Equine Vet. Sci.* 33.10 (2013): 872
- Preventing laminitis in the contralateral limb of horses with non-weight-bearing lameness / R. Redden, *Clin. Tech. Equine Pract.* 3.1 (2004): 57-63
- Primer on dietary carbohydrates and utility of the glycemic index in equine nutrition / P. harris (et al.), *Vet. Clin. North Am. Equine Pract.* 25.1 (2009): 23-37
- Prognostic indicators of poor outcome in horses with laminitis at a tertiary care hospital / J. Orsini (et al.), *Can Vet J* 51.6 (2010): 623-628
- Prosthetics : science, not science fiction / S. Wenholz, *The Horse* juli 01(2005)
- Psyllium lowers blood glucose and insulin concentrations in horses / S. Moreaux (et al.), *J. Equine Vet. Sci.* 31.1 (2011): 160-165
- Recent research into laminitis / P. Huntington (et al.), *ker.com*
- Regional intravenous limb perfusion compared to systemic intravenous administration for marimastat delivery to equine lamellar tissue / C. Underwood (et al.), *J. Vet. Pharmacol. Therap.* 38 (2015): 392-399
- A reproducible model for long-term rehabilitation of the foundered equine metabolic syndrome horse / D. Bicking, *J. Equine Vet. Sci.* 33.10 (2013): 870-871

- A retrospective evaluation of laminitis in horses / R. Hunt, *Equine. Vet. J.* 25.1 (1993): 61-64
- Review of equine piroplasmiasis / L. Wise (et al.), *J. Vet. Intern. Med.* 27 (2013): 1334-1346
- A review of factors affecting carbohydrate levels in forage / K. Watts (et al.), *J. Equine Vet. Sci.* 24.2 (2004): 84-86
- A review of recent advances and current hypotheses on the pathogenesis of acute laminitis / L. Katz (et al.), *Equine. Vet. J.* 44.6 (2012): 752-761
- A review of unlikely sources of excess carbohydrate in equine diets / K. Watts, *J. Equine Vet. Sci.* 25.8 (2005): 338-344
- Risk factors for development of acute laminitis in horses during hospitalization: 73 cases (1997-2004) / C. Parsons (et al.), *J. Am. Vet. Med. Assoc.* 230.6 (2007): 885-889
- Risk factors for equine laminitis: a systematic review with quality appraisal of published evidence / C. Wylie (et al.), *Vet. J.* 193.1 (2012): 58-66
- Ruwvoer : vaak onderschat, maar van onschatbare waarde / N. Rietman, *In de strengen* 67.21 (2005): 16-21
- Serum cortisol concentrations in response to incremental doses of inhaled beclomethasone dipropionate / B. Rush (et al.), *Equine. Vet. J.* 31.3 (1999): 258-261
- Short-term incubation of equine laminar veins with cortisol and insulin alters contractility in vitro: possible implications for the pathogenesis of equine laminitis / J. Keen (et al.), *J. Vet. Pharmacol. Ther.* 3 (2012)
- Some laminitis problems in horses may be caused by excessive iron intake / D. Pitzen, *naturalthorsetrim.com*
- Stress bij paarden / A. ten Napel, *holistischdierenarts.nl*
- The structure, innervation and location of arteriovenous anastomoses in the equine foot / C. Pollitt (et al.), *Equine. Vet. J.* 26.4 (1994): 305-312
- Supporting limb laminitis / A. van Eps (et al.), *Vet. Clin. North Am. Equine Pract.* 26.2 (2010): 287-302
- Treating laminitis : beyond the mechanics of trimming and shoeing / W. Baker, *Vet. Clin. North Am. Equine Pract.* 28.2 (2012): 441-455
- Using the Horse Grimace Scale (HGS) to assess pain associated with acute laminitis in Horses (*Equus caballus*) / Dalla costa (et al.), *Animals (Basel)*. 3.6 (2016): 8
- Venograms for use in laminitis treatment / S. Eastman (et al.), *J. Equine Vet. Sci.* 32.11 (2012): 757-759
- What is the risk that corticosteroid treatment will cause laminitis? / E. Knowles, *Equine Vet. Educ.* 16.2 (2018): doi.org/10.1111/eve.12901
- What's new in laminitis research I - pathophysiology and prevention / J. Orsini (et al.), *J. Equine Vet. Sci.* 32.10 (2012): 641-647
- What's new in laminitis research II - advances in laminitis treatment / N. Grenager (et al.), *J. Equine Vet. Sci.* 32.10 (2012): 647-653
- When to euthanase / J. Yeates, *Vet. Rec.* 166 (2010), 370-371
- Winter care of the insulin resistant horse / E. Kellon, *naturalthorsetrim.com*